

Baseline Air Sampling Report American Crossarm & Conduit Remedial Action Chehalis, Washington

EPA REGION X

Contract No. 68-W9-0046
Work Assignment No. 46-36-0R91
Work Order No. 4000-030-001-3400
Document Control No. 4000-030-001-AAHZ

May 1995





BASELINE AIR SAMPLING REPORT AMERICAN CROSSARM & CONDUIT REMEDIAL ACTION CHEHALIS, WASHINGTON

Prepared for

U.S. Environmental Protection Agency Region X 1200 Sixth Avenue Seattle, Washington 98101

Contract No. 68-W9-0046
Work Assignment No. 46-36-0R91
Work Order No. 4000-030-001-3400
Document Control No. 4000-030-001-AAHZ

May 1995

Prepared by

Roy F. Weston, Inc. 700 Fifth Avenue Suite 5700 Seattle, WA 98104

ARCS QUALITY ASSURANCE CONCURRENCE

BASELINE AIR SAMPLING REPORT American Crossarm & Conduit Remedial Action Chehalis, Washington

-	•	3. T
Ura	COOL	Nomo:
		Name:
110	CCC	i dillo.

Baseline Air Sampling Report

Contract Number:

68-W9-0046

Work Assignment Number:

46-36-0R91

Responsible Organization:

Roy F. Weston, Inc.

700 Fifth Avenue, Suite 5700 Seattle, Washington 98104

Concurrences:

Name:

Steve Fuller

Title:

Signature:

Site Manager, Roy F. Weston, Inc.

_Date: <u>& Mony</u> 9.5

Name:

Daniel Handschin

Title:

Deputy QA Manager, Roy F. Weston, Inc.

Signature:

_____Date: 9 MAY 95

Name:

Frank C. Monahan

Title:

ARCS Program Manager, Roy F. Weston, Inc.

Signature:

LIST OF CONTENTS

INTRODUCTION

Table 1—Summary of Action Level Excursions—Baseline Sampling Figure 1—American Crossarm & Conduit—Air Monitoring Stations

APPENDIX A—SUMMARY OF DAILY SAMPLING APPENDIX B—PCP AND PAH ANALYTICAL DATA APPENDIX C—WIND ROSE DIAGRAMS APPENDIX D—DATA VALIDATION

INTRODUCTION

Three phases of air sampling will be conducted during the course of remediation activities: baseline sampling; initial (startup) sampling; and subsequent monthly sampling. This report presents results of the baseline sampling effort.


A summary of excursions of the action levels during baseline sampling is presented below in Table 1. Baseline sampling was only conducted for pentachlorophenol and polycyclic aromatic hydrocarbons (PAHs). For reference, Figure 1 shows locations of PUF and PM_{10} air monitoring stations.

Table 1—Summary of Action Level Excursions
Baseline Sampling

Day	Sample Type	Sample/ Action Level	Discussion
3/1/95	Baseline (PUF Station 1)	.0011/.001	Benzo(a)pyrene exceeds action level likely due to diesel operated equipment. As the wind was predominantly from the NNE, this compound may have come from off-site.
3/2/95	Baseline (PUF Station 1)	.0012/.001	Benzo(a)pyrene exceeds action level. Likely due to diesel equipment operated in the area.
3/2/95	Baseline (PUF Station 3)	.0011/.001	Benzo(a)pyrene exceeds action level. Likely due to diesel equipment operating in the area.

Additional details regarding air monitoring results for the American Crossarm & Conduit site are presented as Appendices A-D. Appendix A summarizes daily sampling; Appendix B contains raw data from pentachlorophenol and PAH analysis; Appendix C contains daily wind rose diagrams; and Appendix D contains data validation memorandums.

Should you have any questions regarding these results, please contact Rebecca Doe at (206) 521-7648.





Air Monitoring Stations

FIGURE

APPENDIX A SUMMARY OF DAILY SAMPLING

DAILY REPORT BASELINE AIR SAMPLING 1 MARCH 1995

Wind

Winds were moderate, predominantly (59 percent) from the east-northeast at speeds less than 12 miles per hour.

Sample Results

Three samples were collected for polycyclic aromatic hydrocarbons (PAHs) and pentachlorophenol. Air monitoring was also conducted for PM_{10} . Airborne concentrations of these contaminants were below site-specific action levels except for benzo(a)pyrene at Station #1.

Duplicate/Co-Located Sample Analysis

- ☐ A duplicate sample was collected for PAHs and pentachlorophenol. There is good correlation between the duplicates (<35 percent relative percent difference).
- No duplicates were collected during this sampling event.

Trip and Field Blanks

- □ No PAHs or pentachlorophenol were detected in a trip blank.
- □ No PAHs or pentachlorophenol were detected in a field blank.
- No trip or field blanks were collected.

Site Activities During Sampling

Chemical Waste Management, Inc., crushed empty 55-gallon drums. E.P. Johnson hauled clean gravel on-site to construct the haul road for debris removal.

Action Level Excursions

Benzo(a)pyrene exceeded the action limit at Station #1. This was likely due to the use of diesel-operated equipment being utilized in the immediate vicinity of PUF air sampling

This document was prepared by Roy F. Weston, Inc. expressly for the EPA. It shall not be disclosed in whole or in part without the express, written permission of the EPA.

equipment. There were no intrusive activities being conducted that would liberate PAHs from contaminated materials on-site.

Other Issues

Due to problems encountered establishing computer communication links, no data were collected for PM_{10} measurements. This problem was rectified after 3/6/95.

PAH and Pentachlorophenol Baseline Sampling Results by Station Location American Crossarm & Conduit Site, Chehalis, WA Date: 1 MARCH 1995

		Station Number							
Concentration (μ/m³)	1	2	3	3 dup	4	5	6	Action Level ¹	
Benzo(a)anthracene	.0007	.0009	.0008					0.01	
Benzo(a)pyrene	.0011	.0009	.0008					0.001	
Benzo(b)fluoranthene	.0011	.0012	.0013					0.01	
Benzo(g,h,i)perylene	.0015	.0019	.0013					0.01230	
Benzo(k)fluoranthene	.0011	.0012	.0013					0.01	
Chrysene	.0015	.0016	.0016		· .			1.0	
Dibenzo(a,h)anthracene	.0003	.0002	.0002					0.001	
Indeno(1,2,3-cd)pyrene	.0007	.0006	.0005					0.01	
Pentachlorophenol	.0003 J	.0031 J	.0019 J					0.052	

Note: Only sample locations 1, 2, and 3 were utilized for this sampling event; no duplicate samples were collected. J =estimated value.

With the exception of Benzo(g,h,i)perylene, action levels were taken from EPA Region III "Risk Based Concentration Table," February 1995. The action level for Benzo(g,h,i)perylene was taken from the Washington State Department of Ecology's Model Toxics Control Act Cleanup Levels and Risk Calculations (CLARC II) Update, January 1995.

DAILY REPORT BASELINE AIR SAMPLING 2 MARCH 1995

Wind

Winds were moderate and variable, predominantly (50 percent) from the north-northeast at speeds less than twelve miles per hour.

Sample Results

Three samples were collected for PAHs and pentachlorophenol. Air monitoring was also conducted for PM_{10} . Airborne concentrations of these contaminants were below site-specific action levels, except for benzo(a)pyrene at Stations 1 and 3.

Duplicate/Co-Located Sample Analysis

- A duplicate sample was collected for PAHs and pentachlorophenol. There is good correlation between the duplicates (<35 percent relative percent difference).
- No duplicates were collected during this sampling event.

Trip and Field Blanks

- □ No PAHs or pentachlorophenol were detected in a trip blank.
- □ No PAHs or pentachlorophenol were detected in a field blank.
- No trip or field blanks were collected.

Site Activities During Sampling

E.P. Johnson hauled in clean gravel for the haul road, graded it, and consolidated a clean debris pile at the southern end of the work site.

Action Level Excursions

Benzo(a)pyrene exceeded the action level at PUF Stations 1 and 3. This was likely due to diesel-operated equipment being utilized in the immediate vicinity of air sampling equipment. There were no intrusive activities being conducted that would liberate PAHs from contaminated materials on-site.

This document was prepared by Roy F. Weston, Inc. expressly for the EPA. It shall not be disclosed in whole or in part without the express, written permission of the EPA.

á.

 $\mathbb{V}_{c}^{\lambda}.$

Other Issues

Due to problems encountered establishing computer communication links, no data were collected for PM_{10} measurements. This problem was rectified after 3/6/95.

PAH and Pentachlorophenol Baseline Sampling Results by Station Location American Crossarm & Conduit Site, Chehalis, WA Date: 2 MARCH 1995

	Station Number							
Concentration (μ/m³)	1	2	3	3 dup	4	5	6	Action Level'
Benzo(a)anthracene	.0012	.0010	.0011					0.01
Benzo(a)pyrene	.0012	.0010 J	.0011					0.001
Benzo(b)fluoranthene	.0015	.0013 J	.0013					0.01
Benzo(g,h,i)perylene	.0015	.0013	.0013					0.01230
Benzo(k)fluoranthene	.0015	.0013 J	.0016		_			0.01
Chrysene	.0021	.0020	.0019					1.0
Dibenzo(a,h)anthracene	.0002	.0002 J	.0002					0.001
Indeno(1,2,3-cd)pyrene	.0009	.0008 J	.0008					0.01
Pentachlorophenol	.0009 J	.0020 J	.0019 J					0.052

Note: Only sample locations 1, 2, and 3 were utilized for this sampling event; no duplicate samples were collected.

J = estimated value.

¹ With the exception of Benzo(g,h,i)perylene, action levels were taken from EPA Region III *Risk Based Concentration Table,* February 1995. The action level for Benzo(g,h,i)perylene was taken from the Washington State Department of Ecology's Model Toxics Control Act Cleanup Levels and Risk Calculations (CLARC II) Update, January 1995.

DAILY REPORT BASELINE AIR SAMPLING 3 MARCH 1995

Wind

Winds were moderate, predominantly (64 percent) from the south-southeast at speeds less than twelve miles per hour.

Sample Results

Four samples were collected for PAHs and pentachlorophenol. Air monitoring was also conducted for PM₁₀. Airborne concentrations of these contaminants were below site-specific action levels.

Duplicate/Co-Located Sample Analysis

- A duplicate sample was collected for PAHs and pentachlorophenol. There is good correlation between the duplicates (<35 percent relative percent difference).
- □ No duplicates were collected during this sampling event.

Trip and Field Blanks

- □ No PAHs or pentachlorophenol were detected in a trip blank.
- □ No PAHs or pentachlorophenol were detected in a field blank.
- No trip or field blanks were collected.

Site Activities During Sampling

There were no work site activities today.

Action Level Excursions

No excursions were reported.

Other Issues

The PM_{10} monitor at beta gauge Station 1 was malfunctioning. This was determined on 3/29/95. At this time, it was shipped back to the manufacturer for repair.

PAH and Pentachlorophenol Baseline Sampling Results by Station Location American Crossarm & Conduit Site, Chehalis, WA Date: 3 MARCH 1995

	Station Number							Action
Concentration (μ/m³)	1	2	3	3 dup	4	5	6	Level ¹
Benzo(a)anthracene	.0003	.0006	.0003	.0003		-11.11		0.01
Benzo(a)pyrene	.0003	.0003	.0003	.0002		•		0.001
Benzo(b)fluoranthene	.0011	.0017	.0015	.0015				0.01
Benzo(g,h,i)perylene	.0003	.0003	.0003	.0003				0.01230
Benzo(k)fluoranthene	.0006 J	.0006 J	.0006 J	.0006 J				0.01
Chrysene	.0011	.0017	.0015	.0015				1.0
Dibenzo(a,h)anthracene	.0001	.0001	.0001	.0001				0.001
Indeno(1,2,3-cd)pyrene	.0003	.0003	.0003	.0003	-			0.01
Pentachlorophenol	.0023 UBJ	.0087 J	.0000 UBJ	.0006 UBJ				0.052

Note: Only sample locations 1, 2, and 3 were utilized for this sampling event.

J = estimated value.

UBJ = undetected because of blank contamination; estimated value.

With the exception of Benzo(g,h,i)perylene, action levels were taken from EPA Region III "Risk Based Concentration Table," February 1995. The action level for Benzo(g,h,i)perylene was taken from the Washington State Department of Ecology's Model Toxics Control Act Cleanup Levels and Risk Calculations (CLARC II) Update, January 1995.

DAILY REPORT BASELINE AIR SAMPLING 4 MARCH 1995

Wind

Winds were moderate and variable, predominantly (58 percent) from the south-southwest at speeds less than twelve miles per hour.

Sample Results

Three samples were collected for PAHs and pentachlorophenoi. Air monitoring was also conducted for PM_{10} . Airborne concentrations of these contaminants were below site-specific action levels.

Duplicate/Co-Located Sample Analysis

A duplicate samp	le was collected	for PAHs and	pentachlorophenol	. There is good
correlation between	en the duplicates	(<35 percent	relative percent dif	ference).

No duplicates were collected during this sampling event.

Trip and Field Blanks

	No PAHs	or pentachlorophenol	were detected	in a	a trip	blank.
--	---------	----------------------	---------------	------	--------	--------

□ No PAHs or pentachlorophenol were detected in a field blank.

No trip or field blanks were collected.

Site Activities During Sampling

There were no work site activities today.

Action Level Excursions

No excursions were reported.

. 14

 $\hat{\Sigma}_{a}$

Other Issues

The PM₁₀ monitor at beta gauge Station 1 was malfunctioning. This was determined on 3/29/95. At this time, it was shipped back to the manufacturer for repair. Stockton Analytical Laboratory was not able to analyze sample ACC-B01-950304 due to instrument problems.

PAH and Pentachlorophenol Baseline Sampling Results by Station Location American Crossarm & Conduit Site, Chehalis, WA Date: 4 MARCH 1995

	Station Number							
Concentration (μ/m³)	1	2	3	3 dup	4	5	6	Action Level ¹
Benzo(a)anthracene	NR	.0002	.0002					0.01
Benzo(a)pyrene	NR	.0001	.0001					0.001
Benzo(b)fluoranthene	NR	.0006	.0007		_			0.01
Benzo(g,h,i)perylene	NR	.0002	.0002	,				0.01230
Benzo(k)fluoranthene	NR	.0002 J	.0002 J					0.01
Chrysene	MR	.0009	.0007					1.0
Dibenzo(a,h)anthracene	NR	.0000	.0000					0.001
Indeno(1,2,3-cd)pyrene	NR	.0002	.0002					0.01
Pentachlorophenol	NR	.0022 UBJ	.0001 UBJ					0.052

Note: Only sample locations 1, 2, 3, and 3 duplicate were utilized for this sampling event.

J = estimated value.

NR = no results could be obtained.

UBJ = undetected because of blank contamination; estimated value.

With the exception of Benzo(g,h,i)perylene, action levels were taken from EPA Region III *Risk Based Concentration Table,* February 1995. The action level for Benzo(g,h,i)perylene was taken from the Washington State Department of Ecology's Model Toxics Control Act Cleanup Levels and Risk Calculations (CLARC II) Update, January 1995.

DAILY REPORT BASELINE AIR SAMPLING 6 MARCH 1995

Wind

Winds were moderate and variable, predominantly (19 percent) from the south at speeds less than twelve miles per hour.

Sample Results

Three samples were collected for PAHs and pentachlorophenol. Air monitoring was also conducted for PM₁₀. Airborne concentrations of these contaminants were below site-specific action levels.

Duplicate/Co-Located Sample Analysis

- ☐ A duplicate sample was collected for PAHs and pentachlorophenol. There is good correlation between the duplicates (<35 percent relative percent difference).
- No duplicates were collected during this sampling event.

Trip and Field Blanks

- No PAHs or pentachlorophenol were detected in a trip blank.
- No PAHs or pentachlorophenol were detected in a field blank.
- □ No trip or field blanks were collected.

Site Activities During Sampling

E.P. Johnson hauled in clean gravel for the haul road and graded it.

Action Level Excursions

No excursions were reported.

Other Issues

The PM_{10} monitor at beta gauge Station 1 was malfunctioning. This was determined on 3/29/95. At this time, it was shipped back to the manufacturer for repair.

PAH and Pentachlorophenol Baseline Sampling Results by Station Location American Crossarm & Conduit Site, Chehalis, WA Date: 6 MARCH 1995

	Station Number							Action
Concentration (µ/m³)	1	2	3	Trip Blank	Field Blank	4	5	Level ¹
Benzo(a)anthracene	.0010	.0010	.0007	.0000 U	.0000 U		-	0.01
Benzo(a)pyrene	.0010	.0010	.0010	.0000 U	.0000 U			0.001
Benzo(b)fluoranthene	.0013	.0013	.0012	.0000 U	.0000 U			0.01
Benzo(g,h,i)perylene	.0010	.0008	.0007	.0000 U	.0000 U			0.01230
Benzo(k)fluoranthene	.0010 J	.0010 J	.0007 J	.0000 U	.0000 U			0.01
Chrysene	.0015	.0015	.0012	.0000 U	.0000 U			1.0
Dibenzo(a,h)anthracene	.0002	.0002	.0001	.0000 U	.0000 U			0.001
Indeno(1,2,3-cd)pyrene	.0008	.0008	.0005	.0000 U	.0000 U			0.01
Pentachlorophenol	.0013 UBJ	.0025 UBJ	.0049 J	.0000 U	1.0000 J			0.052

Note: Only sample locations 1, 2, 3, and 4 were utilized for this sampling event. The Field blank was collected at Station 4.


J = estimated value.

U = undetected.

UBJ = undetected because of blank contamination; estimated value.

With the exception of Benzo(g,h,i)perylene, action levels were taken from EPA Region III "Risk Based Concentration Table," February 1995. The action level for Benzo(g,h,i)perylene was taken from the Washington State Department of Ecology's Model Toxics Control Act Cleanup Levels and Risk Calculations (CLARC II) Update, January 1995.

APPENDIX B PCP AND PAH ANALYTICAL DATA



SAMPID: ACC-B02-950301 DUPLICATE OF	START DATE:		ND DATE 3/2/95	SAMPLE DUPLICATE BLANK
CALTYPE X P	START TIME RESSURE FLOW		END TIME 09:45 UAL FLOW STANI	DARD FLOW
PUMP / SAMPLER ID: 2	TEM	0 (9	F) BAROMETRIC PRES	S: 0 (inches)
METER UNITS HOURS	▼ MENUTES	METE	R TIME 60404 to	61880 MINUTES
GUAGE PRE: 60 G	JAGE POST: 56	CAL Y INTER	CEPT -0.19 CAL SLO	PE 35.76994
FLOW: UNITS CFM	PRE 0 0	0 =	0 POST: 0	0 0 = 0
FLOW RATE: 7.7063 CFM	VOŁUME: 321.8966	9410 (CUBI	C METERS)	
RESULT UNITS: Ug	ANALYTE NAME	RESULT	Q CONCENTRATION	Q2
CONC. UNITS ug/cubic meter	Pentachlorophenol Benzo(a)anthracene	0.3	J 0 0031 0.0009	
	Chrysene Benno(b)fluoranthene	0.5 0.4	0.0016	
	Benzo(k)fluoranthene	0.4	0.0012 0.0009	
	Benzo(a)pyrene Indeno(1,2,3-cd)pyrene	0.2	0.0006	
	Dibenzo(a,h)anthracene Benzo(g,h,i)perviene	0.06	0.0002	
		Butt		

ı

ı

DUPLICATE OF	LOCATION: 3	3/1/95		3/2/95	DUPLICATE
CAL TYPE: X P	START TIME:		UAL FLOW	STANDAR	
PUMP / SAMPLER ID: 3	TEM	0 (0	F) BAROMETRIC	PRESS:	0 (inches)
METER UNITS HOURS	M€NUTES	METI	ER TIME 5837	8 to 59	819 MINUTES
GUAGE PRE: 56 G	JAGE POST: 54	CAL Y INTER	CEPT -0.49 C	AL SLOPE:	30.70878
FLOW: UNITS CFM	PRE 0 0	0 =	o Post: 0	0	0 = 0
FLOW RATE 9.0882 CFM	VOŁUME: 370.618	08507 (CUBI	C METERS)		
RESULT UNITS: 49	ANALYTE NAME	RESULT		RATION	Q2
ONC. UNITS ug/cubic meter	Pentachiorophenol Benzo(a)anthracene	0.7	J 0.0019 0.0008		
	Chrysene	0.6	0.0016		
	Benzo(b)fluoranthene	0.5	0.0013		
	Benzo(k)fluoranthene	0.5	0.0013		
	Benzo(a)pyrene	0.3	0.0008		
	Indeno(1,2,3-cd)pyrene Dibenzo(a,h)anthracene	0.06	0.0003		
	Benzo(g.h.i)perylene	0.5	0.0013		
		But	to		

I

1

SAMPID: ACC-B01-950302 DUPLICATE OF FILTER#	START DATE:		0503S290 ID DATE 3/3/95 ND TIME: 10:36	SAMPLE DUPLICATE BLANK
CALTYPE X PR	ESSURE FLOW	X ACTU	alflow 🗀 sta	NDARD FLOW
PUMP / SAMPLER ID: 1	TEM): 0 (° F) BAROMETRIC PRE	SS: 0 (inches)
METER UNITS HOURS	▼ MINUTES	METER	TIME 71388 to	72851 MINUTES
GUAGE PRE: 42 GU	AGE POST: 40	CAL Y INTERC	EPT -0.62 CAL SL	OPE 31.26772
FLOW: UNITS CFM	PRE 0 0	0 = 0	POST: 0	0 0 = 0
FLOW RATE: 7.9305 CFM	VOLUME: 328.347	1627 (CUBIC	METERS)	
RESULT UNITS: Ug CONC. UNITS Ug/cubic meter	ANALYTE NAME Pentachlorophenol Benzo(a)anthracehe Chrysene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene Indeno(1, 2,3-od)pyrene Dibenzo(a,h)anthracene Benzo(g,h,i)perylene		Q CONCENTRATIO J 0 0009 0 0012 0 0021 0 0015 0 0015 0 0012 0 0009 0 0002	DN G2

ı

ı

NATURE OF THE PARTY OF THE PART

SAMPID: ACC-B02-950302 DUPLICATE OF	START DATE:	3/2/95 END DATE 3/3/95	AMPLE DUPLICATE LANK
FILTER#		09.59 END TIME: 1 10.29	
CALTYPE X P	RESSURE FLOW	ACTUAL FLOW STANDARD	LOW
PUMP / SAMPLER ID: 2	TEM	P: 0 (° F) BAROMETRIC PRESS:	0 (inches)
METER UNITS HOURS	IX M#NUTES	METER TIME 61880 to 6335	MINUTES
GUAGE PRE: 60 GI	JAGE POST: 62	CAL Y INTERCEPT -1.92 CAL SLOPE 3	5,76994
FLOW: UNITS CFM	PRE 0 0	0 = 0 POST: 0 0	0 = 0
FLOW RATE: 9.6049 CFM	VOLUME: 399.844	30165 (CUBIC METERS)	
RESULT UNITS: Ug	ANALYTE NAME	RESULT Q CONCENTRATION Q2	
CONC UNITS Ug/cubic meter	Pentachlorophenol Benzo(a)anthracene Chrysene	0.8 J 0.0020 0.4 0.0010 0.8 0.0020	
	Benzo(k)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene	0.5 J 0.0013 0.5 J 0.0013 0.4 J 0.0010	
	Indeno(1,2,3-cd)pyrene Dibenzo(a,h)anthracene Benzo(g,h,i)perylene	0.3 J 0.0008 0.06 J 0.0002 0.5 JJ 0.0013	
		Butto	
-			

SAMPID: ACC-B03-950302 DUPLICATE OF FILTER #	START DATE:		9503S290 END DATE END TIME	3/3/95 T	SAMPLE DUPLICATE BLANK
CALTYPE X PE	ESSURE FLOW	X AC	TUAL FLOW	STANDAR	DFLOW
PUMP / SAMPLER ID: 3	TEM	0 (5	F) BAROME	TRIC PRESS:	0 (inches)
METER UNITS HOURS	X MINUTES	MET	ER TIME	59819 to 612	275 MINUTES
GUAGE PRE: 58 GL	AGE POST: 53	CAL Y INTER	RCEPT -0.49	CAL SLOPE:	30.70878
FLOW: UNITS CFM	PRE 0 0	0 =	0 POST:	0 0	0 = 0
FLOW RATE: 9.1250 CFM	VOLUME: 375.9944	47402 (CUB			
RESULT UNITS: Ug CONC. UNITS: Ug/cubic meter	ANALYTE NAME Pentachlorophenol Benzo(a)anthracene Chrysene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene Indeno(1,2,3-od)pyrene Dibenzo(a,h)anthracene Benzo(g,h,l)perylene	RESULT 0.7 0.4 0.7 0.5 0.6 0.4 0.3 0.06 0.5 But	Q CONCI J 0 0019 0.0011 0 0019 0.0013 0 0016 0.0011 0.0008 0 0002	ENTRATION	G2

П

ı

ı

ı

ı

ı

ı

SAMPID: ACC-B01-950303 PUPLICATE OF STATE OF ST	START DATE:				IPLE LICATE NK
CALTYPE X P	RESSURE [FLOW	X ACT	JALFLOW [S	TANDARD FLC	W
PUMP / SAMPLER ID: 1	TEM	0 (0	F) BAROMETRIC P	RESS: 0	(inches)
METER UNITS HOURS	X MINUTES	METE	R TIME 72851	to 74195	MINUTES
GUAGE PRE 55 G	UAGE POST: 57	CAL Y INTER	CEPT -0.62 CAL	SLOPE 31.2	6772
FLOW: UNITS CFM	PRE O O		O POST: TO		= 0
FLOW RATE: 9.1506 CFM					
	_				
RESULT UNITS: Ug	ANALYTE NAME	RESULT	Q CONCENTRA	TION Q2	
ONC. UNITS ug/cubic meter	Pentachlorophenol	0.8 0.1	U 0 0023		
ONC. ONLIS	Benzo(a)anthracene Chrysene	0.4	0.0003		
	Benzo(b)fluoranthene	0.4	0.0011		
	Benzo(k)fluoranthene	0.2	0.0006		
	Benzo(a)pyrene	0.09	0.0003		
	Indeno(1,2,3-cd)pyrene	0.09	0.0003		
	Dibenzo(a,h)anthracene	0.03	0.0001		
	Benzo(g,h,i)perylene	0.1	0.0003		
		Butt	<u> </u>		

...

ı

SAMPID: ACC-B02-950303 DUPLICATE OF FILTER#	START DATE:	BATCH # 9503S307
CALTYPE X PR	ESSURE [FLOW	X ACTUAL FLOW STANDARD FLOW
PUMP/SAMPLERID: 2	TEM	P 0 (° F) BAROMETRIC PRESS: 0 (inches)
METER UNITS HOURS	X MINUTES	METER TIME 63351 to 64693 MINUTES
GUAGE PRE: 54 GU	AGE POST: 53	CAL Y INTERCEPT -1.92 CAL SLOPE 35.76994
FLOW: UNITS CFM	PRE 0 0	0 = 0 POST: 0 0 0 = 0
FLOW RATE: 9.1156 CFM	VOLUME: 346.1959	93976 (CUBIC METERS)
RESULT UNITS: Ug	ANALYTE NAME	RESULT Q CONCENTRATION Q2
CONC UNITS ug/cubic meter	Pentachlorophenol Benzo(a)anthracene Chrysene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene Indeno(1,2,3-cd)pyrene Dibenzo(a,h)anthracene Benzo(g,h,l)penylene	3

ı

ı

SAMPID: ACC-B03-950303 DUPLICATE OF FILTER #	START DATE		9503S307 :ND DATE 3/4/95 END TIME 09:17	SAMPLE DUPLICATE BLANK
CAL TYPE X P	RESSURE T FLOW	X ACT	UAL FLOW TO STANI	DARD FLOW
PUMP / SAMPLER ID: 3	TEM): 0 (°	F) BAROMETRIC PRES	S: 0 (inches)
METER UNITS HOURS	IX MINUTES	METE	R TIME 61275 to	62616 MINUTES
GUAGE PRE: 52 GI	JAGE POST: 51	CAL Y INTER	CEPT -0.49 CALSLO	PE 30.70878
FLOW: UNITS CFM	PRE 0 0	0 =	0 POST: 0 0	0 = 0
FLOW RATE: 8.8126 CFM	VOLUME: 334.4421	0457 (CUBIC	METERS)	
RESULT UNITS Ug	ANALYTE NAME		Q CONCENTRATION	Q2
CONC UNITS ug/cubic meter	Pentachlorophenol Benzo(a)anthracene Chrysene	0.01 0.1 0.5	U 0.0000 0.0003 0.0015	
	Benzo(k)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene	0.5 0.2 0.09	J 0.0006 D.0003	
	indeno(1,2,3-cd)pyrene Dibenzo(a,h)anthracene	0.09	0.0003	
	Benzo(g,h,i)perylene	0.1	0.0003	
		Butte	<u> </u>	

3

-

SAMPID: ACC-B3D-950303 DUPLICATE OF FILTER #	START DATE:				MPLE JPLICATE ANK
CALTYPE X PE	RESSURE [FLOW	X ACT	UAL FLOW	STANDARD F	.ow
PUMP/SAMPLERID: 3.1	TEM	0 (°	F) BAROMETRIC	PRESS:	0 (inches)
METER UNITS X HOURS	☐ MINUTES	METE	R TIME 1969.25	to 1991.5	HOURS
GUAGE PRE: 46 GL	AGE POST: 46	CAL Y INTER	CEPT -0.75 CA	L SLOPE: 30).77524
FLOW: UNITS CFM	PRE 0 0	0 =	0 POST: 0	0	0 = 0
FLOW RATE: 8.6422 CFM	VOLUME: 326.8010	05972 (CUBIC	METERS)		
RESULT UNITS: Ug CONC. UNITS Ug/cubic meter	ANALYTE NAME Pentachlorophenol Benzo(a)anthracene Chrysene Benzo(b)fluoranthene Benzo(k)ffluoranthene Benzo(a)pyrene Indeno(1,2,3-cd)pyrene Dibenzo(a,h)anthracene Benzo(g,h,l)perylene	RESULT 0.2 0.1 0.5 0.5 0.2 0.08 0.09 0.03 0.1 Butt	U 0 0006 0.0003 0.0015 0.0015 J 0.0006 0.0002 0.0003 0.0003	ATION Q2	

SAMPID: ACC-B02-950304 DUPLICATE OF FILTER #	START DATE:	BATCH #: 9503S307 X SAMPLE 3/4/95 END DATE 3/5/95 DUPLICATE 09:00 END TIME: 14:09 BLANK
	RESSURE T FLOW	X ACTUAL FLOW STANDARD FLOW
PUMP / SAMPLER ID: 2	TEM	P. 0 (° F) BARCAÆTRIC PRESS: 0 (inches)
METER UNITS HOURS	▼ M#NUTES	METER TIME 64693 to 66441 MINUTES
GUAGE PRE: 56 G	JAGE POST: 59	CAL Y INTERCEPT -1.92 CAL SLOPE 35,76994
FLOW: UNITS CFM	PRE 0 0	0 = 0 POST: 0 0 0 = 0
FLOW RATE: 9.3800 CFM	VOLUME: 464.015	98738 (CUBIC METERS)
RESULT UNITS: Ug CONC. UNITS Ug/cubic meter	ANALYTE NAME Pentachiorophenol Benzo(a)anthracene Chrysene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene Indeno(1,2,3-cd)pyrene Dibenzo(a,h)anthracene Benzo(g,h,l)perylene	RESULT Q CONCENTRATION Q2 1
		Butto

PUMP / SAMPLER ID 3	SAMPID: ACC-B03-950304 DUPLICATE OF	START DATE:	3/4/95 09:2	END DATE 14:1	3/5/95 <u> </u>	SAMPLE DUPLICATE BLANK
### METER UNITS HOURS MAINUTES METER TIME 62617 to 64350 MINUTES GUAGE PRE: 55 GUAGE POST: 60 CAL Y INTERCEPT -0.49 CAL SLOPE 30.70878 FLOW: UNITS CFM PRE 0 0 0 = 0 POST: 0 0 0 = 0 FLOW RATE 9.2781 CFM VOLUME: 455.03452881 (CUBIC METERS) RESULT UNITS: Ug ANALYTE NAME RESULT Q CONCENTRATION Q2 Pentachlorophenol 0.03 U 0.0001 Benzo(a)anthracene 0.08 0.0002 Chrysene 0.3 0.0007 Benzo(b)fluoranthene 0.1 J 0.0002 Benzo(b)fluoranthene 0.1 J 0.0002 Benzo(a)pyrene 0.08 0.0001 Indeno(1,2,3-od)pyrene 0.08 0.0002 Dibenzo(a,h)anthracene 0.02 0.0000 Benzo(a,h)previene 0.1 0.0002 Benzo(a,h)previene 0.1 0.0002 Benzo(a,h)previene 0.1 0.0002 Benzo(a,h)pyrelene 0.1	CAL TYPE: X P	RESSURE T FLOW	X A	CTUAL FLOW	STANDAR	D FLOW
GUAGE PRE: 55 GUAGE POST: 60 CAL Y INTERCEPT -0.49 CAL SLOPE 30.70878 FLOW: UNITS CFM PRE 0: 0 0 0 0 POST: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PUMP / SAMPLER ID: 3	TEM	0	(°F) BAROMETRI	PRESS:	0 (inches)
GUAGE PRE: 55 GUAGE POST: 60 CAL Y INTERCEPT -0.49 CAL SLOPE 30.70878 FLOW: UNITS CFM PRE 0: 0 0 0 POST: 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	METER UNITS HOURS	X MINUTES	ME	TER TIME 6261	7 to 64	350 MINUTES
FLOW: UNITS CFM PRE 0 0 0 = 0 POST: 0 0 0 = 0 FLOW RATE 9.2781 CFM VOLUME: 455.03452881 (CUBIC METERS) RESULT UNITS: Ug ANALYTE NAME RESULT Q CONCENTRATION Q2 Pentachlorophenol 0.03 U 0.0001 Benzo(a)anthracene 0.08 0.0002 Chrysene 0.3 0.0007 Benzo(b)fluoranthene 0.3 0.0007 Benzo(b)fluoranthene 0.1 J 0.0002 Benzo(b)fluoranthene 0.06 0.0001 Indeno(1.2,3-cd)pyrene 0.06 0.0001 Indeno(1.2,3-cd)pyrene 0.08 0.0002 Dibenzo(a,h)anthracene 0.02 0.0000 Benzo(g,h,l)perylene 0.1 0.0002	GHAGE PRE 55 G	HAGE POST: 60				
RESULT UNITS Ug		, , , , , , , , , , , , , , , , , , , ,				<u> </u>
ANALYTE NAME RESULT Q CONCENTRATION Q2	FLOW: UNITS CFM	PRE 0 0	0 = 1	U PUSI: (] 0]	0=1 0
Pentachlorophenol 0.03 U 0.0001 Benzo(a)anthracene 0.08 0.0002 Chrysene 0.3 0.0007 Benzo(b)fluoranthene 0.3 0.0007 Benzo(k)fluoranthene 0.1 J 0.0002 Benzo(a)pyrene 0.06 0.0001 Indeno(1.2,3-od)pyrene 0.08 0.0002 Dibenzo(a,h)anthracene 0.02 0.0000 Benzo(g,h,l)perylene 0.1 0.0002	FLOW RATE: 9.2781 CFM	VOLUME: 455.034	52881 (CU	BIC METERS)		
Benzo(a)anthracene 0.08 0.0002	RESULT UNITS: Ug	ANALYTE NAME	RESUL	T Q CONCENT	RATION	Q2
Chrysene 0.3 0.0007 Benzo(b)fluoranthene 0.3 0.0007 Benzo(k)fluoranthene 0.1 J 0.0002 Benzo(a)pyrene 0.06 0.0001 Indeno(1,2,3-cd)pyrene 0.08 0.0002 Dibenzo(a h)enthracene 0.02 0.0000 Benzo(g,h,l)perylene 0.1 0.0002	and maker		UNIX DIXECULAR AND			
Benzo(b)fluoranthene 0.3 0.0007 Benzo(k)fluoranthene 0.1 J 0.0002 Benzo(a)pyrene 0.06 0.0001 Indeno(1,2,3-cd)pyrene 0.08 0.0002 Dibenzo(a h)enthracene 0.02 0.0000 Benzo(g,h,l)perylene 0.1 0.0002	ONC UNITS advention merel					
Bertzo(k)fluoranthene 0.1 J 0.0002 Benzo(a)pyrene 0.06 9.0001 Indeno(1,2,3-cd)pyrene 0.08 0.0002 Dibertzo(a,h)anthracene 0.02 9.0000 Benzo(g,h,l)perylene 0.1 0.0002		· · · · · · · · · · · · · · · · · · ·				-
Benzo(a)pyrene			1000 1000000000000000000000000000000000			
Indeno(1,2,3-cd)pyrene		888 10000000000000000000000000000000000				
Benzo(g,h,i)perylene 0.1 0.0002		888 - cocces - a care cocces cocces de la care a care care care con composition de la care con composition de la care care care care care care care car		000000000000000000000000000000000000000		
		Dibenzo(a,h)anthracene	0.02	0.0000		
Butto		Benzo(g.h.i)perylene	0.1	0.0002		
			Bı	itto		

ı

۱

I

ı

SAMPID: ACC-B01-950306 DUPLICATE OF FILTER #	START DATE		ND DATE 3/7/95	SAMPLE DUPLICATE BLANK
CAL TYPE: X P	RESSURE T FLOW	IX ACT	UAL FLOW . STAND	ARD FLOW
PUMP / SAMPLER ID: 1	TEM	e: 0 (°	F) BAROMETRIC PRESS	0 (inches)
METER UNITS	X MINUTES	METE	R TIME 75953 to	77439 MINUTES
GUAGE PRE 60 G	UAGE POST: 59	CAL Y INTER	CEPT -0.62 CAL SLOP	E 31.26772
FLOW: UNITS CFM	PRE 0 0	0 =	0 POST: 0 0	0 = 0
FLOW RATE: 9.4109 CFM	VOLUME: 395.764	79407 (CUBIC	C METERS)	
RESULT UNITS: Ug	ANALYTE NAME	RESULT	Q CONCENTRATION	Q2
CONC UNITS Ug/cubic meter	Peritachiorophenol Benzo(a)anthracene	0.5	U 0.0013 0.0010	
	Chrysene Benzo(b)fluoranthene	0.6	0.0015 0.0013	
	Benzo(k)fluoranthene Benzo(a)pyrene	0.4	J 0.0010 0.0010	
	Indeno(1,2,3-cd)pyrene Dibenzo(a,h)anthracene	0.08	0.0008	
	Benzo(g,h,l)perylene	0.4	0.0010	
		Butt	0	
			100	
-			100	
				35

SAMPID: ACC-B02-950306 DUPLICATE OF FILTER #	LOCATION: 2 START DATE: START TIME:	BATCH #: 9503S307 SAMPLE 3/6/95 END DATE 3/7/95 X DUPLICATE 10:14 END TIME: 10:47 BLANK									
CAL TYPE X PE	CALTYPE: FRESSURE FLOW ACTUAL FLOW STANDARD FLOW										
PUMP / SAMPLER ID: 2	TEMF	0 (° F) BAROMETRIC PRESS: 0 (inches)									
METER UNITS HOURS	X MINUTES	METER TIME 66448 to 67921 MINUTES									
GUAGE PRE: 60 GU	AGE POST: 59	CAL Y INTERCEPT -1.92 CAL SLOPE 35.76994									
FLOW: UNITS CFM	PRE 0 0	0 = 0 POST: 0 0 0 = 0									
FLOW RATE: 9.5097 CFM	VOLUME: 396.4198	00974 (CUBIC METERS)									
RESULT UNITS: Ug CONC. UNITS: Ug/cubic meter	ANALYTE NAME Pentachlorophenol Benzo(a)anthracene Chrysene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene Indeno(1,2,3-cd)pyrene Dibenzo(a,h)anthracene Benzo(g,h,l)perylene	RESULT Q CONCENTRATION Q2 1									


ı


SAMPID: ACC-B03-950306	LOCATION: 3	BATCH#:	9503S307	IX SAMPLE 1					
DUPLICATE OF	START DATE:	3/6/95 END DATE 3/7/95 DUPLICATE							
FILTER#	· · · · · · · · · · · · · · · · · · ·		END TIME: 11:01	BLANK					
CAL TYPE. X P	RESSURE [FLOW	X ACT	UAL FLOW T STANG	DARD FLOW					
PUMP / SAMPLER ID: 3	TEM	0 (°	F) BAROMETRIC PRESS	0 (inches)					
METER UNITS HOURS	₩ MENUTES	METE	R TIME 64350 to	65808 MINUTES					
GUAGE PRE: 66 G	JAGE POST: 68	CAL Y INTER	CEPT -0.49 CAL SLOI	PE 30.70878					
FLOW: UNITS CFM	PRE 0 0	0 =	O POST: O C	0 = 0					
FLOW RATE: 9.9727 CFM	VOLUME: 411.4857	70324 (CUBIC	METERS)						
RESULT UNITS: Ug	ANALYTE NAME	RESULT	VA 2444 V. 2244 V. 2244 V. 2444 V. 244	Q2					
CONC. UNITS ug/cubic meter	Pentachlorophenol Benzo(a)anthracene	0.3	J 0.0049 0.0007	+					
	Chrysene	0.5	0.0012						
	Benzo(b)fluoranthene	0.5	0.0012						
	Benzo(k)fluoranthene	0.3	J 0.0007						
	Benzo(a)pyrene	0.4	0.0010						
	Indeno(1,2,3-cd)pyrene Diberzo(a,h)anthracene	0.06	0.0005						
	Benzo(g.h.l)perylene	0.00	0.0007						
	Butto								

FILTER# CALTYPE: X PI	START TIME	X AC	END TIME:	STANDARI	BLANK D FLOW
PUMP / SAMPLER ID:	TEMP	0	°F) BAROMET	TRIC PRESS:	0 (inches)
METER UNITS X HOURS	☐ MINUTES	ME	TER TIME	0 tc	0 HOURS
GUAGE PRE 0 GI	JAGE POST: 0	CAL Y INTE	RGEPT 0	CAL SLOPE	0
FLOW: UNITS CFM	PRE 0 0	0 =	0 POST:	0 0	0= 0
FLOW RATE: 0 CFM	VOLUME:	0 (CU	BIC METERS)		
RESULT UNITS: Ug	ANALYTE NAME Pentachioropherol Benzo(a)anthracene Chrysene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene indeno(1,2,3-cd)pyrene Dibenzo(a,h)anthracene Benzo(g,h,l)perylene	RESUL 0.02 0.01 0.01 0.01 0.01 0.01 0.01 0.01	T Q CONCE U 0.0000 U 0.0000 U 0.0000 U 0.0000 U 0.0000 U 0.0000 U 0.0000 U 0.0000 U 0.0000	ENTRATION	92
		Bu	itto		

APPENDIX C WIND ROSE DIAGRAMS


EPA ACC SITE CHEHALIS, WASHINGTON MARCH 1, 1995 - MARCH 2, 1995 SAMPLING EVENT CALMS EXCLUDED






V	VIND SPE	EED (MPH) PERCE	NT OCC	JRRENC	3	W	WIND SPEED (MPH)			PERCENT OCCURRENCE			
	0-3	3-7	7-12	12-18	18-24	>24		0-3	3-7	7-12	12-18	18-24	>24	
N	3.70	3.70	0.00	0.00	0.00	0.00	S	0.00	0.00	0.00	0.00	0.00	0.0	
NNE	0.00	7.41	0.00	0.00	0.00	0.00	ssw	0.00.	0.00	0.00	0.00	0.00	0.0	
NE	0.00	11.11	18.52	0.00	0.00	0.00	sw	0.00	0.00	0.00	0.00	0.00	0.0	
ENE	0.00	14.81	7.41	0.00	0.00	0.00	wsw	0.00	0.00	0.00	0.00	0.00	0.0	
E	0.00	0.00	0.00	0.00	0.00	0.00	· w	0.00	0.00	0.00	0.00	0.00	0.0	
ESE	0.00	0.00	0.00	0.00	0.00	0.00	WNW	0.00	ື0.00	0.00	0.00	0.00	0.0	
SE	0.00	0.00	0.00	0.00	0.00	0.00	NW	18.52	3.70	0.00	0.00	0.00	0.0	
SSE	0.00	0.00	0.00	0.00	0.00	0.00	NNW	7.41	3.70	0.00	0.00	0.00	0.0	


EPA ACC SITE CHEHALIS, WASHINGTON MARCH 2, 1995 - MARCH 3, 1995 SAMPLING EVENT CALMS EXCLUDED






,	VIND SPE	ED (MPH) PERCE	NT OCCI	JRRENCE	<u>.</u>	WIND SPEED (MPH) PERCENT OCCURRENCE						3
	0-3	3-7	7-12	12-18	18-24	>24		0-3	3-7	7-12	12-18	18-24	>24
N	0.00	0.00	0.00	0.00	0.00	0.00	S	11.54	3.85	0.00	0.00	0.00	0.00
NNE	0.00	3.85	7.69	0.00	0.00	0.00	wzz	11.54	0.00	0.00	0.00	0.00	0.00
NE	0.00	3.85	34.62	0.00	0.00	0.00	sw	3.85	0.00	0.00	0.00	0.00	0.00
ENE	0.00	0.00	0.00	0.00	0.00	0.00	wsw	0.00	0.00	0.00	0.00	0.00	0.00
E	0.00	0.00	0.00	0.00	0.00	0.00	w	3.85	0.00	0.00	0.00	0.00	0.00
ESE	0.00	0.00	0.00	0.00	0.00	0.00	WNW	0.00	0.00	0.00	0.00	0.00	0.00
SE	0.00	0.00	0.00	0.00	0.00	0.00	NW	0.00	0.00	0.00	0.00	0.00	0.00
SSE	0.00	7.69	0.00	0.00	0.00	0.00	WNW	7.69	0.00	0.00	0.00	0.00	0.00


EPA ACC SITE CHEHALIS, WASHINGTON MARCH 3, 1995 - MARCH 4, 1995 SAMPLING EVENT CALMS EXCLUDED






•		WIND SPEED (MPH) PERCENT OCCURRENCE						
		0-3	3-7	7-12	12-18	18-24	>24	
	N	0.00	0.00	0.00	0.00	0.00	0.00	
	NNE	0.00	0.00	0.00	0.00	0.00	0.00	
	NE	0.00	0.00	0.00	0.00	0.00	0.00	
	ENE	0.00	0.00	0.00	0.00	0.00	0.00	
	E	0.00	0.00	0.00	0.00	0.00	0.00	
	ESE	0.00	0.00	0.00	0.00	0.00	0.00	
	SE	0.00	0.00	0.00	0.00	0.00	0.00	
•	SSE	0.00	20.00	12.00	0.00	0.00	0.00	

EPA ACC SITE CHEHALIS, WASHINGTON MARCH 4, 1995 - MARCH 5, 1995 SAMPLING EVENT CALMS EXCLUDED






1	VIND SPE	ED (MPH) PERCE	ENT OCCU	JRRENCI	₹.	w	VIND SPE	ED (MPH)	PERCE	ENT OCCU	JRRENCE	3
	0-3	3-7	7-12	12-18	18-24	>24		0-3	3-7	7-12	12-18	18-24	>24
N	0.00	6.45	0.00	0.00	0.00	0.00	s	9.68	19.35	0.00	0.00	0.00	0.00
NNE	0.00	3.23	0.00	0.00	0.00	0.00	ssw	6.45	3.23	9.68	0.00	0.00	0.00
NE	0.00	3.23	0.00	0.00	0.00	0.00	sw	0.00	3.23	6.45	0.00	0.00	0.00
ENE	0.00	3.23	0.00	0.00	0.00	0.00	wsw	0.00	0.00	0.00	0.00	0.00	0.00
Ε	0.00	0.00	0.00	0.00	0.00	0.00	w	3.23	3.23	0.00	0.00	0.00	0.00
ESE	0.00	0.00	0.00	0.00	0.00	0.00	WNW	3.23	3.23	0.00	0.00	0.00	0.00
SE	0.00	0.00	0.00	0.00	0.00	0.00	NW	0.00	3.23	0.00	0.00	0.00	0.00
SSE	3.23	0.00	6.45	0.00	0.00	0.00	NNW	0.00	0.00	0.00	0.00	0.00	0.00

EPA ACC SITE CHEHALIS, WASHINGTON MARCH 6, 1995 - MARCH 7, 1995 SAMPLING EVENT CALMS EXCLUDED

15.38

7.69
3.85
3.85
N
E
3.85
11.54
W
E
3.85
11.54
19.23



•	WIND SPE	EED (MPH) PERCE	ENT OCC	URRENC	E	V	VIND SPE	ED (MPH)	PERC	ENT OCC	JRRENCI	3
	0-3	3-7	7-12	12-18	18-24	>24		0-3	3-7	7-12	12-18	18-24	>24
N	0.00	7.69 .	0.00	0.00	0.00	0.00	s	7.69	11.54	0.00	0.00	0.00	0.0
NNE	3.85	0.00	0.00	0.00	0.00	0.00	ssw	7.69	3.85	0.00	0.00	0.00	0.0
NE	0.00	3.85	0.00	0.00	0.00	0.00	sw	3.85	0.00	0.00	0.00	0.00	0.0
ENE	0.00	0.00	0.00	0.00	0.00	0.00	wsw	0.00	0.00	0.00	0.00	0.00	0.0
E	0.00	0.00	0.00	0.00	0.00	0.00	w	11.54	0.00	0.00	0.00	0.00	0.0
ESE.	0.00	0.00	0.00	0.00	0.00	0.00	WNW	3.85	0.00	0.00	0.00	0.00	0.0
SE	11.54	0.00	0.00	0.00	0.00	0.00	l ww	3.85	0.00	0.00	0.00	0.00	0.0
SSE	3.85	0.00	0.00	0.00	0.00	0.00	NNW	11.54	3.85	0.00	0.00	0.00	0.0

APPENDIX D DATA VALIDATION



Roy F. Weston, Inc. Gateway Tower, 57th Floor, Suite 5700 700 5th Avenue Seattle, Washington 98104-5057 206-521-7600 • Fax 206-521-7601

MEMORANDUM

DATE:

5 May 1995

TO:

Lee Marshall, WAM, U.S. EPA, Region X

FROM:

Jennifer M. Baier, Environmental Chemist, WESTON, Seattle

Roger McGinnis, Senior Environmental Chemist, WESTON, Seattle

SUBJECT:

Project:

American Crossarm and Conduit

SDG No.:

9503S307

Task:

Data Validation

Analysis:

Polynuclear Aromatic Hydrocarbons and

Pentachlorophenol by Selective Ion Monitoring (SIM)

WORK ASSIGNMENT NO.: 46-36-0R91

DOC. CONTROL NO.: 04000-030-001-AAHR

WORK ORDER NO.:

04000-030-001-3500-01

cc:

Peter Rubenstein, RAP WAM, U.S. EPA, Region X

Bruce Woods, TPO, U.S. EPA, Region X Brian Brass, Task Manager, WESTON, Seattle

Brady White, Task Coordinator, WESTON, Seattle

The quality assurance review of 11 samples, SDG 9503S307, collected from American Crossarm and Conduit has been completed. The air PUFS samples were analyzed at low level for polynuclear aromatic hydrocarbons and pentachlorphenol by WESTON—Stockton, Stockton, CA.

Data Qualifications

The following comments refer to the laboratory performance in meeting the Quality Control Specifications outlined in the analytical request technical specifications.



SDG No.: 9503S307

Page 2

1. Holding Times

Acceptable, all samples were analyzed within holding times.

2. a Tuning and Mass Calibration

Acceptable, instrument tuning results were within the acceptable QC limits.

3. Initial Calibration

Initial calibrations were within the QC limit of less than 30 percent relative standard difference (%RSD) with the exception of the following:

Initial Calibration	Analyte	%RSD	Affected Samples		
3/24/95	Pentachlorophenol	68.6	ACC-B01-950306		
3/30/95	Pentachlorophenol	36.3	None		

Sample ACC-B01-950306 pentachlorophenol result was qualified as estimated (J).

4. Continuing Calibration

All continuing calibration percent differences were within the QC limit of less than or equal to 25%, with the exception of pentachlorophenol (48.9%) for the continuing calibration run on 3/20/95 at 11:26am. The sample associated with this date was ACC-B02-950306 and the pentachlorophenol result was qualified as estimated (J).

5. Internal Standards

Acceptable, samples had internal standard (IS) areas within the QC range.

6. Blanks

a. Method Blanks

Acceptable, no analytes were detected in the method blank.

This document was prepared by Roy F. Weston, Inc. expressly for the EPA. It shall not be disclosed in whole or in part without the express, written permission of the EPA.



SDG No.: 9503S307

Page 3

b. Field Blank

Pentachlorophenol was detected in the field blank at a concentration of 0.2 total μg . Samples were qualified as undetected due to blank contamination(UB) if the sample's detected concentration was less than or equal to 5 times the blank concentration.

c. Trip Blank

Acceptable, no analytes were detected in the trip blank.

7. Surrogate Recovery

Acceptable, all surrogate recoveries were within the QC limits of 18-137%.

8. Spike Blank

The spike blank percent recoveries for the analytes were within QC limits of 30-140% with the exception of the following:

Analyte	LCS	LCSD		
Pentachlorophenol	1%	6%		

Also, the relative percent differences for the analytes were within the acceptable QC limits of 0 - 50 percent, with the exception of the following:

Analyte	Relative Percent Difference
Pentachlorophenol	166%
Benzo(k)fluoranthene	53%

Pentachlorophenol results were qualified as estimated (J or UJ) and detected benzo(k)fluoranthene results were qualified as estimated (J).

This document was prepared by Roy F. Weston, Inc. expressly for the EPA. It shall not be disclosed in whole or in part without the express, written permission of the EPA.

95-543.DVM DCN 4000-30-01-AAHR



SDG No.: 9503S307

Page 4

9. Field Duplicate

Samples ACC-B03-950303 and ACC-B3D-950303 were field duplicates. The relative percent differences (RPDs) were within the QC limit of less than 50% for all analytes.

Data Assessment

Upon consideration of the data qualifications noted above, the data are ACCEPTABLE for use except where flagged with data qualifiers that modify the usefulness of the individual values.

Data Qualifiers

- U The compound was analyzed for, but was not detected.
- UJ The compound was analyzed for, but was not detected. The associated quantitation limit is an estimate because quality control criteria were not met.
- J The analyte was positively identified, but the associated numerical value is an estimated quantity because quality control criteria were not met or because concentrations reported are less then CRDL or lowest calibration standard.
- R Quality control indicates that data are unusable (compound may or may not be present). Resampling and reanalysis are necessary for verification.
- N Presumptive evidence of presence of material (tentative identification).

CLIENT SAMPLE NO.

Lab Name: <u>ROY F. WESTON</u>	<u>, INC.</u> Work Order: <u>0400</u>		J1-950303
Client: <u>EPA - SEATTLE</u>	· · · · · · · · · · · · · · · · · · ·		
Matrix: <u>AI</u>	<u>R</u>	Lab Sample ID: 9503	3S307-001
Sample wt/vol:	(g/mL)	Lab File ID: FI	FQM13
Level: (low/med) <u>LO</u>	<u> </u>	Date Received: 03/0	09/95
% Moisture: not dec	dec.	Date Extracted: <u>03/0</u>	09/95
Extraction: (SepF/Con	t/Sonc)	Date Analyzed: <u>03/</u>]	<u>16/95</u>
GPC Cleanup: (Y/N) N	pH:	Dilution Factor: 1.0	00
CAS NO.		TRATION UNITS: or ug/Kg) <u>total ug</u>	ű.
56-55-3	Pentachlorophenol	0.1 0.4 0.4 0.2 0.09 0.09	J. 87

FORM 1 SV-1

12/88 Rev.

ist. Versi

Malas

191-24-2----Benzo(g,h,i)perylene__

ACC-B02-950303

CLIENT SAMPLE NO.

Lab Name: ROY F. WESTON, INC. Work Order: 04000-027-001-2 EPA - SEATTLE Client: AIR Lab Sample ID: <u>9503S307-002</u> Matrix: ____ (g/mL) __ Lab File ID: FFQM14 Sample wt/vol: Level: (low/med) LOW Date Received: 03/09/95 Date Extracted: 03/09/95 % Moisture: not dec. dec. Date Analyzed: <u>03/16/95</u> Extraction: (SepF/Cont/Sonc) GPC Cleanup: (Y/N) N Dilution Factor: 1.00 pH: ___ _ **CONCENTRATION UNITS:** CAS NO. COMPOUND (ug/L or ug/Kg) total ug 5 3 87-86-5-----Pentachlorophenol 56-55-3-----Benzo(a)anthracene 0.2 218-01-9-----Chrysens 0.6 205-99-2----Benzo(b) fluoranthene 0.6 207-08-9-----Benzo(k)fluoranthene_ 50-32-8-----Benzo(a)pyrene____ 7. 0.2 0.09 193-39-5-----Indeno(1,2,3-cd)pyrene 0.1 53-70-3-----Dibenz(a,h)anthracene 0.03

FORM 1 SV-1

12/88 Rev.

0.1

1991.B.

CLIENT SAMPLE NO.

Lab Name: <u>ROY F. WES</u>	<u>TON, INC.</u> Work Order: <u>040</u>		
Client: <u>EPA - SEAT</u>	TLE		
Matrix:	<u>AIR</u>	Lab Sample ID:	9503\$307-003
Sample wt/vol:	(g/mL)	Lab File ID:	FFQM15
Level: (low/med)	LOW	Date Received:	03/09/95
% Moisture: not dec.	dec.	Date Extracted:	03/09/95
Extraction: (SepF/	Cont/Sonc)	Date Analyzed:	03/16/95
GPC Cleanup: (Y/N)	<u>N</u> pH:	Dilution Factor:	1.00
CAS NO.		NTRATION UNITS: or ug/Kg) <u>total</u>	ug
56-55-3 218-01-9 205-99-2 207-08-9 50-32-8 193-39-5 53-70-3	Pentachlorophenol_ Benzo(a)anthracene Chrysene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene Indeno(1,2,3-cd)pyrene Dibenz(a,h)anthracene	0.1 0.5 0.5 0.2 0.09 0.09	10-5 30-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1

FORM 1 SV-1

12/88 Rev.

Morris

ACC-B3D-950303

CLIENT SAMPLE NO.

Lab Name: <u>ROY F. WES</u>	TON, INC. Work Order: 040		
Client: <u>EPA - SEA</u> T	TLE		
Matrix:	AIR	Lab Sample ID: 950	03S307-004
Sample wt/vol:	(g/mL)	Lab File ID:	FFQM16
Level: (low/med)	LOW	Date Received: 03	/09/95
% Moisture: not dec.	dec.	Date Extracted: 03	/09/95
Extraction: (SepF/	Cont/Sonc)	Date Analyzed: 03	<u>/16/95</u>
GPC Cleanup: (Y/N)	<u>N</u> pH:	Dilution Factor: 1	.00
CAS NO.		NTRATION UNITS: or ug/Kg) <u>total ug</u>	
56-55-3 218-01-9 205-99-2 207-08-9 50-32-8 193-39-5 53-70-3	Pentachlorophenol	0.1 0.5 0.5 0.2 0.08 0.09 0.03	155 TS

FORM 1 SV-1

12/88 Rev.

My Jus

CLIENT SAMPLE NO.

Lab Name: ROY F. WEST	TON, INC. Work Order: 0400		CC-B02-950304
Client: <u>EPA - SEAT</u>	[LE		
Matrix:	AIR	Lab Sample ID:	<u>9503S307-006</u>
Sample wt/vol:	(g/mL)	Lab File ID:	FFQM18
Level: (low/med)	LOW	Date Received:	03/09/95
% Moisture: not dec.	dec.	Date Extracted:	03/09/95
Extraction: (SepF/C	Cont/Sonc)	Date Analyzed:	03/16/95
GPC Cleanup: (Y/N)	<u>N</u> pH:	Dilution Factor	: 1.00
CAS NO.		NTRATION UNITS: or ug/Kg) <u>total</u>	ug
56-55-3 218-01-9 205-99-2 207-08-9 50-32-8 193-39-5 53-70-3	Pentachlorophenol	0.09 0.4 0.3 0.1 0.05 0.08	135

FORM 1 SV-1

12/88 Rev.

Impires

	—— _I
ACC-B03-950304	
1,100 000 300001	- 1

CLIENT SAMPLE NO.

Lab Name: ROY F. WESTON, INC. Work Order: 04000-027-001-2 EPA - SEATTLE Client: Lab Sample ID: <u>9503S307-007</u> Matrix: AIR____ ____ (g/mL) __ Lab File ID: Sample wt/vol: FFQM19 (low/med) LOW Date Received: 03/09/95 Level: % Moisture: not dec. ____ dec. Date Extracted: 03/09/95 Date Analyzed: 03/16/95 Extraction: (SepF/Cont/Sonc) GPC Cleanup: (Y/N) N Dilution Factor: 1.00 pH: _____ **CONCENTRATION UNITS:** ÇAS NO. COMPOUND (ug/L or ug/Kg) total ug J16 3 87-86-5-----Pentachlorophenol 0.03 0.08

56-55-3-----Benzo(a)anthracene 218-01-9-----Chrysene 0.3 205-99-2----Benzo(b)fluoranthene 0.3 207-08-9-----Benzo(k)fluoranthene 3 0.1 50-32-8-----Benzo(a)pyrene 0.06 193-39-5-----Indeno(1,2,3-cd)pyrene 0.08 53-70-3-----Dibenz(a,h)anthracene__ 0.02 191-24-2-----Benzo(g,h,i)perylene 0.1

FORM 1 SV-1

12/88 Rev.

J. 1/2/15

CLIENT SAMPLE NO.

Lab Name: <u>ROY F. WESTON, INC</u>	. Work Order: <u>04000</u>		B01-950306	
Client: <u>EPA – SEATTLE</u>	,,,,,,			_
Matrix: <u>AIR</u>	L	ab Sample ID: 95	03S307-008	
Sample wt/vol:	(g/mL) L	ab File ID:	FFQU11	
Level: (low/med) <u>LOW</u>	D	Oate Received: <u>03</u>	<u>/09/95</u>	
% Moisture: not dec	dec. D	Oate Extracted: <u>03</u>	<u>/09/95</u>	
Extraction: (SepF/Cont/Son	c) D	Oate Analyzed: <u>03</u>	<u>/24/95</u>	
GPC Cleanup: (Y/N) <u>N</u>	pH: D	Dilution Factor: 1	.00	
CAS NO. COMPO		RATION UNITS: or ug/Kg) <u>total ug</u>	<i>:</i>	
87-86-5Penta 56-55-3Benzo 218-01-9Chrys 205-99-2Benzo 207-08-9Benzo 50-32-8Benzo 193-39-5Inden 53-70-3	(a)anthracene ene (b)fluoranthene (k)fluoranthene (a)pyrene o(1,2,3-cd)pyrene z(a,h)anthracene	0.6 0.5 0.4 0.4 0.3	2 1132	

FORM 1 SV-1

12/88 Rev.

J. 1/12/05

	ı
ACC-B02-950306	

CLIENT SAMPLE NO.

Lab Name: <u>ROY F. WES</u>	<u>TON, INC.</u> Work Order: <u>040</u>	00-027-001-2	
Client: <u>EPA – SEAT</u>	TLE		
Matrix:	AIR	Lab Sample ID:	9503S307-009
Sample wt/vol:	(g/mL)	Lab File ID:	FFQQ15
Level: (low/med)	LOW	Date Received:	03/09/95
% Moisture: not dec.	dec.	Date Extracted:	03/09/95
Extraction: (SepF/	Cont/Sonc)	Date Analyzed:	03/20/95
GPC Cleanup: (Y/N)	<u>N</u> pH:	Dilution Factor	: <u>1.00</u>
CAS NO.		NTRATION UNITS: or ug/Kg) <u>total</u>	ug
56-55-3 218-01-9 205-99-2 207-08-9 50-32-8 193-39-5 53-70-3	Pentachlorophenol Benzo(a)anthracene Chrysene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)pyrene Indeno(1,2,3-cd)pyrene Dibenz(a,h)anthracene Benzo(g,h,i)perylene	0.4 0.6 0.5 0.4 0.4 0.3 0.08	7

FORM 1 SV-1

12/88 Rev.

J. 1/2/35

CLIENT SAMPLE NO.

Lab Name: ROY F. WESTON, INC. Work Order: 0	ACC-B03-950306
Client: <u>EPA - SEATTLE</u>	
Matrix: <u>AIR</u>	Lab Sample ID: <u>9503S307-010</u>
Sample wt/vol: (g/mL)	Lab File ID: FFOR12
Level: (low/med) <u>LOW</u>	Date Received: <u>03/09/95</u>
% Moisture: not dec dec.	Date Extracted: 03/09/95
Extraction: (SepF/Cont/Sonc)	Date Analyzed: <u>03/21/95</u>
GPC Cleanup: (Y/N) N pH:	Dilution Factor: 1.00
	CENTRATION UNITS: /L or ug/Kg) <u>total ug</u>
87-86-5Pentachlorophenol	0.3 0.5 0.5 0.3 0.4 0.2

FORM 1 SV-1

12/88 Rev.

1 MB

SEMINOCATILE ORGANICS ANALYSIS SHEET		
_ab Name: <u>ROY F. WESTON, INC.</u> Work Order: <u>04000-027-</u>	ACC-FB-950306	
Client: <u>EPA - SEATTLE</u>		
Matrix: <u>AIR</u> Lab Sa	mple ID: <u>9503S307-011</u>	
Sample wt/vol: (g/mL) Lab Fi	le ID: FFQR04	
_evel: (low/med) <u>LOW</u> Date R	deceived: <u>03/09/95</u>	
6 Moisture: not dec dec. Date E	xtracted: <u>03/09/95</u>	
Extraction: (SepF/Cont/Sonc) Date A	nalyzed: <u>03/21/95</u>	
GPC Cleanup: (Y/N) <u>N</u> pH: Diluti	on Factor: 1.00	
CONCENTRATIO CAS NO. COMPOUND (ug/L or ug/	N UNITS: Kg) <u>total ug</u>	
87-86-5Pentachlorophenol 56-55-3Benzo(a)anthracene 218-01-9Chrysere 205-99-2Benzo(b)fluoranthene 207-08-9Benzo(k)fluoranthene 50-32-8Benzo(a)pyrene 193-39-5Indeno(1,2,3-cd)pyrene 53-70-3Dibenz(a,h)anthracene 191-24-2Benzo(g,h,i)perylene	0.2 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 U	

FORM 1 SV-1

12/88 Rev.

CLIENT SAMPLE NO.

MB.

CLIENT SAMPLE NO.

Lab Name: <u>ROY F. WES</u>	TON, INC. Work Order: <u>040</u> 0		-950306
Client: <u>EPA - SEAT</u>	TLE		
Matrix:	AIR	Lab Sample ID: 9503	S307-012
Sample wt/vol:	(g/mL)	Lab File ID: FF	QR14
Level: (low/med)	LOW	Date Received: 03/0	<u>9/95</u>
% Moisture: not dec.	dec.	Date Extracted: 03/0	<u>9/95</u>
Extraction: (SepF/0	Cont/Sonc)	Date Analyzed: 03/2	<u>1/95</u>
GPC Cleanup: (Y/N)	<u>N</u> pH:	Dilution Factor: 1.0	0
CAS NO.		NTRATION UNITS: or ug/Kg) <u>total ug</u>	
56-55-3 218-01-9 205-99-2 207-08-9 50-32-8 193-39-5 53-70-3	Pentachlorophenol	0.01 0.01 0.01 0.01 0.01 0.01	U

FORM 1 SV-1

12/88 Rev.



Roy F. Weston, Inc.

Gateway Tower, 57th Floor, Suite 5700

700 5th Avenue

Seattle, Washington 98104-5057 206-521-7600 • Fax 206-521-7601

MEMORANDUM

DATE:

5 May 1995

TO:

Lee Marshall, WAM, U.S. EPA, Region X

FROM:

Jennifer M. Baier, Environmental Chemist, WESTON, Seattle

Roger McGinnis, Senior Environmental Chemist, WESTON, Seattle

SUBJECT:

Project:

American Crossarm and Conduit

SDG No.:

9503S301

Task.

Data Validation

Analysis:

Polynuclear Aromatic Hydrocarbons and

Pentachlorophenol by Selective Ion Monitoring (SIM)

WORK ASSIGNMENT NO.: 46-36-0R91

DOC. CONTROL NO.: 04000-030-001-AAHQ

WORK ORDER NO.:

04000-030-001-3500-01

cc:

Peter Rubenstein, RAP WAM, U.S. EPA, Region X

Bruce Woods, TPO, U.S. EPA, Region X Brian Brass, Task Manager, WESTON, Seattle Brady White, Task Coordinator, WESTON, Seattle

The quality assurance review of 6 samples, SDG 9503S301, collected from American Crossarm and Conduit has been completed. The air PUF samples were analyzed at low level for polynuclear aromatic hydrocarbons and pentachlorophenol by WESTON-Stockton, Stockton, CA.

Data Qualifications

The following comments refer to the laboratory performance in meeting the Quality Control Specifications outlined in the analytical request technical specifications.



SDG No.: 9503S301

Page 2

1. Holding Times

Acceptable, all samples were analyzed within holding times.

2. Tuning and Mass Calibration

Acceptable, instrument tuning results were within the acceptable QC limits.

3. Initial Calibration

Acceptable, initial calibrations were within the QC limit of less than 30 percent relative standard difference (%RSD).

4. Continuing Calibration

Acceptable, all continuing calibration percent differences were within the QC limit of less than or equal to 25%.

5. Internal Standards

Samples had internal standard (IS) areas within the QC range with exception of the following:

Internal Standard	Date	Sample Affected	Sample IS Area	IS Area Range
Perylene-d12	3/14/95	ACC-B02-950302	238194	953580-238395

Detected concentrations for benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(a)pyrene, indeno(1,2,3-cd)pyrene, benzo(g,h,i)perylene, and dibenzo(a,h)anthracene in sample ACC-B02-950302 were qualified as estimated (J).



SDG No.: 9503S301

Page 3

6. Blanks

a. Method Blanks

Acceptable, no analytes were detected in the method blank.

b. Field Blank

No field blanks were associated with this data delivery group.

c. Trip Blank

No trip blanks were associated with this data delivery group.

7. Surrogate Recovery

Acceptable, all surrogate recoveries were within the QC limits of 18-137%.

8. Spike Blank

The spike blank percent recoveries for the analytes were within QC limits of 30-140% with the exception of the following:

Analyte	LCSD
Pentachlorophenol	8%

Also, the relative percent differences for the analytes were within the acceptable QC limits of 0 - 50 percent, with the exception of the following:

Analyte	Relative Percent Difference	
Pentachlorophenol	115%	

Samples were qualified as estimated (J or UJ) for pentachlorophenol.

This document was prepared by Roy F. Weston, Inc. expressly for the EPA. It shall not be disclosed in whole or in part without the express, written permission of the EPA.



SDG No.: 9503S301

Page 4

9. Field Duplicate

No field duplicate samples were associated with this sample delivery group.

Data Assessment

Upon consideration of the data qualifications noted above, the data are ACCEPTABLE for use except where flagged with data qualifiers that modify the usefulness of the individual values.

Data Qualifiers

- U The compound was analyzed for, but was not detected.
- UJ The compound was analyzed for, but was not detected. The associated quantitation limit is an estimate because quality control criteria were not met.
- J The analyte was positively identified, but the associated numerical value is an estimated quantity because quality control criteria were not met or because concentrations reported are less then CRDL or lowest calibration standard.
- R Quality control indicates that data are unusable (compound may or may not be present). Resampling and reanalysis are necessary for verification.
- N Presumptive evidence of presence of material (tentative identification).

CLIENT SAMPLE NO.

Lab Name: ROY F. WEST	<u> [ON, INC.</u> Work Order: <u>0400</u>	ACC-B01-950301 00-027-001-2	
Client: <u>EPA - SEATI</u>	<u>rle</u>		
Matrix:	AIR	Lab Sample ID: <u>9503S290-001</u>	
Sample wt/vol:	(g/mL)	Lab File ID: <u>.OFFQK14</u>	
Level: (low/med)	LOW	Date Received: 03/06/95	
% Moisture: not dec.	dec.	Date Extracted: <u>03/08/95</u>	
Extraction: (SepF/C	Cont/Sonc)	Date Analyzed: <u>03/15/95</u>	
GPC Cleanup: (Y/N)	<u>N</u> pH:	Dilution Factor: 1.00	
CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) total ug			
56-55-3 218-01-9 205-99-2 207-08-9 50-32-8 193-39-5 53-70-3	PentachlorophenolBenzo(a)anthraceneChryseneBenzo(b)fluorantheneBenzo(k)fluorantheneBenzo(a)pyreneIndeno(1,2,3-cd)pyreneDibenz(a,h)anthracene	0.4 0.3 0.3 0.3 0.2 0.07	

FORM 1 SV-1

12/88 Rey.

53-70-3-----Dibenz(a,h)anthracene___

191-24-2-----Benzo(g,h,i)perylene__

1		
ACC-BO	02-950301	
1,,,,,		

CLIENT SAMPLE NO.

Lab Name: ROY F. WESTON, INC. Work Order: 04000-027-001-2 Client: EPA - SEATTLE Matrix: AIR Lab Sample ID: 9503S290-002 Sample wt/vol: ____ (g/mL) __ Lab File ID: <u>.0FFQK15</u> Level: (low/med) LOW Date Received: <u>03/06/95</u> % Moisture: not dec. ____ dec. Date Extracted: 03/08/95 Extraction: (SepF/Cont/Sonc) Date Analyzed: 03/15/95 GPC Cleanup: pH: _____ Dilution Factor: 1.00 (Y/N) N **CONCENTRATION UNITS:** CAS NO. COMPOUND (ug/L or ug/Kg) total ug 7 87-86-5-----Pentachlorophenol 1 56-55-3-----Benzo(a)anthracene____ 0.3 218-01-9-----Chrysene 0.5 205-99-2-----Benzo(b) fluoranthene 0.4 207-08-9-----Benzo(k)fluoranthene 0.4 50-32-8-----Benzo(a)pyrene 0.3 193-39-5-----Indeno(1,2,3-cd)pyrene 0.2

FORM 1 SV-1

12/88 Rev.

0.06

0.6

CLIENT SAMPLE NO.

ab Name: ROY F. WES	TON INC. Work Order: 040		-B03-950301	
Lab Name: ROY F. WESTON, INC. Work Order: 04000-027-001-2 Client: EPA - SEATTLE				
Matrix:	AIR	Lab Sample ID: 9	503\$290-003	
Sample wt/vol:	(g/mL)	Lab File ID: <u>.</u>	OFFQK16	
Level: (low/med)	LOW	Date Received: <u>0</u>	<u>3/06/95</u>	
% Moisture: not dec.	dec.	Date Extracted: <u>0</u>	3/08/95	
Extraction: (SepF/	Cont/Sonc)	Date Analyzed: <u>0</u>	<u>3/15/95</u>	
GPC Cleanup: (Y/N)	<u>N</u> pH:	Dilution Factor:	1.00	
CAS NO.		NTRATION UNITS: or ug/Kg) <u>total u</u>	Ð	
56-55-3 218-01-9 205-99-2 207-08-9 50-32-8 193-39-5 53-70-3	PentachlorophenolBenzc(a)anthraceneChryseneBenzo(b)fluorantheneBenzo(k)fluorantheneBenzo(a)pyreneIndeno(1,2,3-cd)pyreneDibenz(a,h)anthraceneBenzo(g,h,i)perylene	0.3 0.6 0.5 0.5 0.3	5	

FORM 1 SV-1

12/88 Rev.

15

CLIENT SAMPLE NO.

ab Name: <u>ROY F. WES</u>	STON, INC. Work Order: 04		CC-001-930302
Client: <u>EPA - SEAT</u>	TLE		
Matrix:	AIR	Lab Sample ID:	<u>9503S290-004</u>
Sample wt/vol:	(g/mL)	Lab File ID:	.0FFQK17
Level: (low/med)	LOW	Date Received:	03/06/95
% Moisture: not dec.	dec.	Date Extracted:	03/08/95
Extraction: (SepF/	'Cont/Sonc)	Date Analyzed:	03/15/95
GPC Cleanup: (Y/N)	<u>N</u> pH:	Dilution Factor	: <u>1.00</u>
CAS NO.		CENTRATION UNITS: /L or ug/Kg) <u>total</u>	ug
56-55-3 218-01-9 205-99-2 207-08-9 50-32-8 193-39-5 53-70-3	Pentachlorophenol	0.4 0.7 0.5 0.5 0.4 0.4	5

FORM 1 SV-1

12/88 Rev.

2m/15/95

CLIENT SAMPLE NO.

Lab Name: <u>ROY F. WE</u>	STON, INC. Work Order	: 04000-027-001-2	CC-B02-950302
Client: <u>EPA – SEA</u>	TTLE		
Matrix:	AIR	Lab Sample ID:	9503\$290-005
Sample wt/vol:	(g/mL)	Lab File ID:	.0FFQK18
Level: (low/med)	LOW	Date Received:	03/06/95
% Moisture: not dec	dec.	Date Extracted:	03/08/95
Extraction: (SepF	/Cont/Sonc)	Date Analyzed:	03/15/95
GPC Cleanup: (Y/N) <u>N</u> pH:	Dilution Factor:	1.00
CAS NO.		CONCENTRATION UNITS: (ug/L or ug/Kg) <u>total</u>	ug
56-55-3 218-01-9 205-99-2 207-08-9 50-32-8 193-39-5 53-70-3	Pentachlorophenol_ Benzo(a)anthracene_ Ch. ysene Benzo(b)fluoranther Benzo(k)fluoranther Benzo(a)pyrene_ Indeno(1,2,3-cd)pyr Dibenz(a,h)anthrace	0.4 0.8 ne 0.5 ne 0.5 0.4 rene 0.3 ene 0.06	かなかりようううか

FORM 1 SV-1

12/88 Rev.



CLIENT SAMPLE NO.

ACC-B03-950302

Lab Name: <u>ROY F. WESTON, INC.</u> Work Order: <u>0400</u>	00-027-001-2		
Client: <u>EPA - SEATTLE</u>			
Matrix: <u>AIR</u>	Lab Sample ID: <u>9503S290-006</u>		
Sample wt/vol: (g/mL)	Lab File ID: .OFFQK19		
Level: (low/med) <u>LOW</u>	Date Received: 03/06/95		
% Moisture: not dec dec.	Date Extracted: <u>03/08/95</u>		
Extraction: (SepF/Cont/Sonc)	Date Analyzed: <u>03/15/95</u>		
GPC Cleanup: (Y/N) N pH:	Dilution Factor: 1.00		
CONCENTRATION UNITS: CAS NO. COMPOUND (ug/L or ug/Kg) total ug			
87-86-5Pentachlorophenol 56-55-3Benzo(a)anthracene 218-01-9Chrysene 205-99-2Benzo(b)fluoranthene 207-08-9Benzo(k)fluoranthene 50-32-8Benzo(a)pyrene 193-39-5Indeno(1,2,3-cd)pyrene 53-70-3Dibenz(a,h)anthracene 191-24-2Benzo(g,h,i)perylene	0.4 0.7 0.5 0.6 0.4 0.3		

FORM 1 SV-1

12/88 Rev.

J. Willes